

Cullen (Thos. S.)

Silkworm Gut as a Subcutaneous Suture in Closure of Abdominal Incisions

BY

THOMAS S. CULLEN, M.B. TOR.

Resident Gynecologist, Johns Hopkins
Hospital; Instructor in Gynecology,
Johns Hopkins University


REPRINTED FROM

THE AMERICAN JOURNAL OF OBSTETRICS

Vol XXXVI No. 2, 1897.

NEW YORK

WILLIAM WOOD & COMPANY, PUBLISHERS
1897



SILKWORM GUT AS A SUBCUTANEOUS SUTURE IN CLOSURE OF ABDOMINAL INCISIONS.¹

IN March of this year Dr. Harvey, of Troy, when visiting us, suggested the use of silkworm gut as a subcutaneous suture instead of silver wire or catgut. He told us that Dr. David W. Houston, of Troy, had employed it for some time and was highly pleased with it.

Since March this suture has given such satisfaction that we employ it almost entirely. Heretofore we closed the peritoneum with catgut, the fascia and muscle with mattress sutures of silver wire or silkworm gut, and the skin with subcutaneous catgut. If the walls contained much fat it was deemed advisable to use several catgut sutures to secure accurate approximation, as there was danger of the catgut absorbing before satisfactory union had taken place. Occasionally we employed subcutaneous silver wire, which answered very well.


Our method of closure now is: (a) For the peritoneum, continuous catgut.

(b) For the fascia and muscle, mattress sutures of silver wire or silkworm gut; where the walls are thick and much tension required, usually silver wire; and where the walls are thin, silkworm gut.

(c) Subcutaneous silkworm gut, even though the walls are thick, no fat suture is employed, the adipose surfaces lying loosely one against the other. It may be mentioned that Dr. Halsted has for a long period paid no attention to the fat, merely using the subcutaneous silver wire.

It is advisable to pick out good, strong strands of silkworm

¹ Read before the Clinical Society of Baltimore, May, 1897, when nine patients closed by this method were exhibited.



Name.	Date.	Nature of operation.	Thickness of abdominal wall.	Layers of sutures.	When removed.	Difficulty.	Result.	Remarks.
S. McC.	March 31st, 1897.	Myomectomy.	Thick.	Twenty-fifth day.	None	Perfect.	
A. H.	April 24th, 1897.	Hystero-myomectomy.	"	Twenty-first day.	"	
E. W.	April 12th, 1897.	Nephrorrhaphy.	Thin.	Twenty-first day.	"	
C. S.	April 19th, 1897.	Breaking up pelvic adhesions; suspension of uterus.	(a) Catgut, (b) silver wire, (c) subcutaneous silk worm gut.	Stitch broke off and could not be removed.	"	
B. P.	April 23d, 1897.	Suspension of uterus.	(a) Catgut, (b) silk worm gut, (c) subcutaneous silk worm gut.	Eighteenth day.	"	
S. P.	May 19th, 1897.	Appendectomy.	"	
F. E.	April 19th, 1897.	Hysterectomy.	Thick.	(a) Catgut, (b) silver wire and catgut, (c) subcutaneous silk worm gut.	About twenty-fifth day.	None	"	
J. W. W.	May 15th, 1897.	Myomectomy and suspension of uterus.	Moderate.	(a) Catgut, (b) silver wire, (c) subcutaneous silk worm gut.	About twenty-fifth day.	"	"	
G. H.	May 12th, 1897.	Myomectomy; suspension of uterus.	Thick.	(a) Catgut, (b) catgut, (c) silk worm gut.	About twenty-fifth day.	"	"	
S. B. T.	May 10th, 1897.	Hystero-myomectomy.	"	(a) Catgut, (b) silver wire, (c) subcutaneous silk worm gut.	About twenty-fifth day.	"	"	
R. A.	May 28th, 1897.	Nephrorrhaphy and suspension of uterus.	Thin.	(a) Catgut, (b) silver wire, (c) subcutaneous silk worm gut.	About twenty-fifth day.	"	"	
B. S.	May 24th, 1897.	Hystero-myomectomy.	"	(a) Catgut, (b) silver wire, (c) silk worm gut.	An attempt was made to remove on twenty-fifth day; but unsuccessful, as suture broke off.	"	There was a kink, evidently due to one loop of ligature being caught by the next.
F. R.	May 17th, 1897.	Suspension of uterus.	Moderate.	(a) Catgut, (b) silver wire, (c) silk worm gut.	Twenty-fifth day.	None	"	Abdominal incision broke down and a large quantity of pus escaped; evidently some infection down near the muscle.
K. D.	May 14th, 1897.	Removal of parovarian cyst.	"	(a) Catgut, (b) silver wire, (c) silk worm gut.	Ends broke off	"	
A. D.	April 21st, 1897.	Repair of perineum; suspension of uterus.	"	(a) Catgut, (b) silver wire, (c) subcutaneous silk worm gut.	None	Fair.	
A. W.	May 14th, 1897.	Removal of left tubovarian mass.	"	(a) catgut, (b) silver wire, (c) subcutaneous silk worm gut.	Twenty-third day.	"	Perfect.	

A. P.	May 14th, 1897.	Nephrorrhaphy	Moderate..	(a) Catgut, (b) silkworm gut, (c) subcutaneous silkworm gut.	Twenty-third day.	None	Perfect.
S. E. C.	June 6th, 1897.	Cure of umbilical hernia.	Thick . . .	(a) Catgut, (b) catgut, (c) subcutaneous silkworm gut.	Eighteenth day.	"	"
M. H.	May 29th, 1897.	Hystero-myomectomy..	Moderate..	(a) Catgut, (b) silver wire, (c) subcutaneous silkworm gut.	Twenty-third day.	"	"
C. L.	May 23d, 1897.	"	"	(a) Catgut, (b) silver wire, (c) subcutaneous silkworm gut.	Attempted removal at twenty-fifth day.	Ends broke off left <i>in situ</i> .	Long incision; should have been two sutures.
M. E.	May 17th, 1897.	"	Thin.....	(a) Catgut, (b) silkworm gut, (c) subcutaneous silkworm gut.	About twenty-fifth day.	None	"
E. W.	May 22d, 1897.	Release of general pelvic adhesions.	"	Peritoneum, catgut; fascia and muscle, silver wire; subcutaneous silkworm gut.	About twenty-third day.	"	"
M. K.	May 24th, 1897.	Double hydrosalpinx; both tubes opened and washed out.	"	(a) Catgut, (b) silkworm gut, (c) subcutaneous silkworm gut.	Twenty-second day.	"	"
J. S.	May 21st, 1897.	Hystero-myomectomy..	"	(a) Catgut, (b) silver wire, (c) subcutaneous silkworm gut.	Twenty-seventh day.	"	Silver stitch came almost to surface, and caused slight irritation for five days.
L. N.	June 7th, 1897.	"	Moderate..	(a) Catgut, (b) silver wire, (c) subcutaneous silkworm gut.	Eighteenth day.	"	"
W. H. H.	June 16th, 1897.	Suspension of uterus....	Thick.....	(a) Catgut, (b) silkworm gut, (c) subcutaneous silkworm gut.	Tenth day.	"	"
L. M.	May 31st, 1897.	Appendectomy.....	Thin.....	(a) Catgut, (b) —, (c) subcutaneous silkworm gut.	Nineteenth day.	"	"
L. K.	May 31st, 1897.	Suspension of uterus....	"	"	About twenty-third day.	"	"
F. McL.	May 29th, 1897.	Amputation of cervix; repair of outlet; suspension of uterus.	Thin.....	(a) Catgut, (b) silkworm gut, (c) subcutaneous silkworm gut.	Twenty-third day.	"	"
H.	May 31st, 1897.	Repair of perineum; myomectomy; suspension of uterus.	Thick.....	(a) Catgut, (b) silver wire, (c) subcutaneous silkworm gut.	Stitch broke off.	"	"
E. E.	May 23d, 1897.	Nephrectomy.	Thin.....	(a) Catgut, (b) silver wire, (c) subcutaneous silkworm gut.	Twenty-second day.	None	"
A. M.	June 9th, 1897.	Removal of small cyst of right ovary.	"	(a) Catgut, (b) silkworm gut, (c) subcutaneous silkworm gut.	Fourteenth day.	"	"
E. T.	June 7th, 1897.	Suspension of uterus....	"	"	Thirteenth day.	"	"
E. G.	May 31st, 1897.	"	Thin.....	(a) Catgut, (b) silkworm gut, (c) subcutaneous silkworm gut.	Twenty-first day.	"	"
M. S.	June 7th, 1897.	Removal of a fibroma of left ovary; suspension of uterus.	"	(a) Catgut, (b) —, (c) subcutaneous silkworm gut.	Seventeenth day.	"	"
M. T.	June 16th, 1897.	Appendectomy; suspension of uterus.	"	(a) Catgut, (b) silver wire, (c) subcutaneous silkworm gut.	Tenth day.	"	"
J. C.	June 16th, 1897.	Hystero-myomectomy..	Very thick.	(a) Catgut, (b) silver wire, (c) subcutaneous silkworm gut.	Tenth day.	Slight.	Long incision.
R. McC.	May 28th, 1897.	Myomectomy.....	Moderate..	(a) Catgut, (b) silver wire, (c) subcutaneous silkworm gut.	Twenty-third day.	"	"

gut, and where the incision is long a new strand should be inserted every six or seven centimetres; the ends are then tied together.

Advantages.—This suture is very pliable, does not kink, and if good will not break. It may be left in place one month, or more if desired, and causes little or no irritation.

Disadvantage.—It is occasionally so firmly embedded in the tissues that it will break off.

The Removal of the Continuous Suture.—It may be looked at about the tenth day, and, if union be satisfactory, removed; if desirable it may be left much longer. Where the suture is short it can often be removed by the slightest traction; if the incision be a long one the knots where the sutures join are cut and firm and steady traction is made with a pair of artery forceps. Should the silkworm gut break off beneath the skin the remaining piece is left behind, as is the case when silver wire breaks.

The accompanying is a synopsis of thirty-eight cases, operated upon by Dr. Kelly and myself since March, where subcutaneous silkworm gut was employed.

From a perusal of these cases it will be seen that in two a knot had been formed which prevented the removal of the suture. Here the needle had retraced its steps, catching in the loop that had just been formed. Such a mistake is easily avoided after one has once been put on his guard. In four cases the sutures broke; this fault we have overcome by making the sutures shorter where the incision is long, employing two or even three sutures instead of one long one.

Dr. Houston has employed this method of closure since May, 1895, using it not only in abdominal surgery, but also in all kinds of operative work. He finds it especially suited to wounds on the face, where very fine strands are employed, and can be removed at the end of forty-eight hours or longer.

At the meeting of the Society Dr. J. W. Williams said that he had used this method in closing the abdomen for one and a half years and was thoroughly satisfied with it. Whether this suture has been adopted or not by others we cannot say, but it is one that may well be utilized by the profession at large.

MEDICAL JOURNALS

PUBLISHED BY

WILLIAM WOOD & COMPANY.

MEDICAL RECORD.

A WEEKLY JOURNAL OF MEDICINE AND SURGERY.

Price, \$5.00 a Year.

The **Medical Record** has for years been the leading organ of the medical profession in America, and has gained a world-wide reputation as the recognized medium of intercommunication between the profession throughout the world. It is intended to be in every respect a medical newspaper, and contains among its **Original Articles** many of the most important contributions to medical literature. The busy practitioner will find among the **Therapeutic Hints** and in the **Clinical Department** a large fund of practical matter, carefully condensed and exceedingly interesting. **Medical News** from all parts of the world is supplied through special correspondents, by mail and telegraph; **New Publications** and **Inventions** are reviewed and described; and in the **Editorial Department** matters of current interest are discussed in a manner which has established the **Medical Record** in the estimation of the whole profession as a thoroughly independent journal and the most influential publication of its class.

THE AMERICAN JOURNAL OF OBSTETRICS AND DISEASES OF WOMEN AND CHILDREN.

Price, \$5.00 a Year (Issued Monthly).

This is not a special journal, as such are usually understood. As it gives special attention to lines which, more than any other, go to form the everyday experience of the general practitioner, its scope of usefulness is very wide.

The original articles appearing in its pages are selected with a view to their practical value and general interest, and include many contributions from writers of wide celebrity and established reputation.

The **Journal** is not the organ of any society, being entirely independent, and consequently free to select for publication only such matter as will be most useful to its subscribers.

Society Proceedings, Book Reviews, and Abstracts of current literature in its scope are carefully prepared features which add to the completeness of the **Journal**.

In order to add to its usefulness and attractiveness, special attention is given to the matter of illustrations, and all articles admitting of it are copiously illustrated by every available means. In fact, the **Journal** is presented in a form of typographical excellence unequalled by any other medical journal. A specimen copy will be sent free, if desired.

PRICES AND CLUB RATES:

Medical Record (Weekly),	- - -	\$5.00 a year.
American Journal of Obstetrics (Monthly),	-	5.00 a year.
And when mailed to the same address and paid for according to our terms:		
Medical Record and Journal of Obstetrics,	-	\$9.00 a year.

At the above low rates only when paid in advance to William Wood & Company or their Agents, NOT the Trade.

WILLIAM WOOD & COMPANY, 43, 45, & 47 East 10th Street, New York.

